Index to Volume 39, 1982

A

ACHESON E D, GARDNER M J, PIPPARD E C, and GRIME L P: Mortality of two groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: a 40-year follow-up, 344

ACKRILL P *see* KELLY W F *et al*

Adenosine triphosphatase, sodium and potassium dependent, activity of erythrocyte membranes in lead refining workers, 290

Adrenocortical suppression in workers employed in manufacturing synthetic glucocorticosteroids, 179

ALBERS J W *see* LEVINE S P *et al*

Alcoholism, treated, incidence, north-east Scotland, Orkney, and Shetland fishermen, 1966-70, 11

ALLARDICE J T *see* MCDERMOTT M *et al*

Allergic reactions, lack, in workers exposed to Pruteen (bacterial single-cell protein), 183

Alveolar sampling, theoretical basis, 259

Aminolaevulinic acid dehydratase inhibition in erythrocytes, relationship to distribution of lead, in vivo and in vitro, 382

Anaerobes, new aetiology in cavitary pneumoconiosis, 392

ANDERSEN I *see* BAELUM J *et al*

Angiosarcoma, liver, progression of vinyl chloride induced hepatic fibrosis to, 306

Annual International Congress of MEDICHEM Xth, Paris 14-16 September 1982, notice, 204

Anthraquinones, substituted, dyestuffs workers, retrospective mortality study, 355

ARAKI S and USHIO K: Assessment of the body burden of chelatable lead: a model and its application to lead workers, 157

ARONOVA G V *see* MOROSOVA K I *et al*

Arsenic and lung cancer mortality among residents living near the El Paso smelter, 269

Asbestos bodies in the lung, Southampton (UK) and Wellington (New Zealand), 349

——— cement factory, further follow-up study of workers, 273

——— exposure in gas mask assemblers, mortality, 30-year follow-up, 34

———-related pleural lesions, non-malignant, radiological and clinical evidence of parenchymal fibrosis, 54

———-related pulmonary and pleural lesions, independent randomised reading of radiographs compared, 60

——— *see also* Gas mask assemblers

Asian Conference on Occupational Health, 10th, Singapore, 5-10 September 1982, notice, 204

AXELSON O *see* JÄRVHOLM B *et al*

B

BAELUM J, ANDERSEN I, and MØLHAVE L: Acute and subacute symptoms among workers in the printing industry, 70

BAKER C C and POCOCK S J: Ethnic differences in certified sickness absence, 277

BARNETT H A R *see* MALCOLM D and BARNETT H A R

BARWICK D D *see* CHATTERJEE D S *et al*

Battery workers, Korea, occupational lead exposure, 283

BAUNAN R H *see* GYLSETH B *et al*

BENJAMIN I T *see* THOMAS H F *et al*

BENNETT B: Dupuytren's contracture in manual workers, 98

BERGAMASCHI A *see* FALAPPA P *et al*

BEVAN M M *see* MCDERMOTT M *et al*

BIENIEK G, PAŁYS E and WILCZOK T: TLC separation of hippuric, mandelic, and phenylgloxylic acids from urine after mixed exposure to toluene and styrene, 187

4,4′-Bipyridyl, premalignant and neoplastic skin lesions associated with occupational exposure to "tarry" byproducts during manufacture of, 76

Bladder cancer, mortality, British rubber industry, 209

BOUNDY M G *see* WEGMAN D H *et al*

BOURNE M S *see* EDMONDS O P and BOURNE M S

BOWRA G T, DUFFIELD D P, OSBORN A J, and PURCHASE I F H: Premalignant and neoplastic skin lesions associated with occupational exposure to "tarry" byproducts during manufacture of 4,4′-bipyridyl, 76

BRADLEY A C *see* MCDERMOTT M *et al*

Breath analysis, value of simultaneous determination of Pco_2 in monitoring exposure to 1,1,1-trichloroethane by, 161

BRILLE D *see* KAUFFMANN F *et al*

BRODER I *see* COREY P *et al*

BROWNING M C K *see* NEWTON R W *et al*

BURNS J *see* HURLEY J F *et al*

BURRIDGE J *see* TAYLOR P J and BURRIDGE J

BURTON I *see* KELLY W F *et al*

C

Cadmium pneumonitis, acute, 17-year old follow-up: notes and miscellanea, 411

CAMPO J M DEL *see* DEL CAMPO J M

Cancer morbidity among polishers, 196

——— mortality in the British rubber industry, 209

——— skin lesions during manufacture of 4,4′-bipyridyl ("tarry" byproducts), 76

Carbon disulphide, morbidity study of viscose rayon workers exposed to, 39

CARLSSON P, LJUNGQVIST B, and NEIKTER K: Thermocamera studies of gases and vapours, 300

CAVENDER G D *see* LEVINE S P *et al*

Census-based mortality study of fertiliser manufacturers, 323

Chain saw operators, cold response of digital arteries investigation of vibration-induced white finger, 82

——— ——— ——— and urinary excretion of hydroxyproline, 173

Index to Volume 39, 1982

A

ACHESON E D, GARDNER M J, PIPPARD E C, and GRIME L P: Mortality of two groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: a 40-year follow-up, 344

ACKRILL P *see* KELLY W F *et al*

Adenosine triphosphatase, sodium and potassium dependent, activity of erythrocyte membranes in lead refining workers, 290

Adrenocortical suppression in workers employed in manufacturing synthetic glucocorticosteroids, 179

ALBERS J W *see* LEVINE S P *et al*

Alcoholism, treated, incidence, north-east Scotland, Orkney, and Shetland fishermen, 1966-70, 11

ALLARDICE J T *see* MCDERMOTT M *et al*

Allergic reactions, lack, in workers exposed to Pruteen (bacterial single-cell protein), 183

Alveolar sampling, theoretical basis, 259

Aminolaevulinic acid dehydratase inhibition in erythrocytes, relationship to distribution of lead, in vivo and in vitro, 382

Anaerobes, new aetiology in cavitary pneumoconiosis, 392

ANDERSEN I *see* BAELUM J *et al*

Angiosarcoma, liver, progression of vinyl chloride induced hepatic fibrosis to, 306

Annual International Congress of MEDICHEM Xth, Paris 14-16 September 1982, notice, 204

Anthraquinones, substituted, dyestuffs workers, retrospective mortality study, 355

ARAKI S and USHIO K: Assessment of the body burden of chelatable lead: a model and its application to lead workers, 157

ARONOVA G V *see* MOROSOVA K I *et al*

Arsenic and lung cancer mortality among residents living near the El Paso smelter, 269

Asbestos bodies in the lung, Southampton (UK) and Wellington (New Zealand), 349

——— cement factory, further follow-up study of workers, 273

——— exposure in gas mask assemblers, mortality, 30-year follow-up, 34

———-related pleural lesions, non-malignant, radiological and clinical evidence of parenchymal fibrosis, 54

———-related pulmonary and pleural lesions, independent randomised reading of radiographs compared, 60

——— *see also* Gas mask assemblers

Asian Conference on Occupational Health, 10th, Singapore, 5-10 September 1982, notice, 204

AXELSON O *see* JÄRVHOLM B *et al*

B

BAELUM J, ANDERSEN I, and MØLHAVE L: Acute and subacute symptoms among workers in the printing industry, 70

BAKER C C and POCOCK S J: Ethnic differences in certified sickness absence, 277

BARNETT H A R *see* MALCOLM D and BARNETT H A R

BARWICK D D *see* CHATTERJEE D S *et al*

Battery workers, Korea, occupational lead exposure, 283

BAUNAN R H *see* GYLSETH B *et al*

BENJAMIN I T *see* THOMAS H F *et al*

BENNETT B: Dupuytren's contracture in manual workers, 98

BERGAMASCHI A *see* FALAPPA P *et al*

BEVAN M M *see* MCDERMOTT M *et al*

BIENIEK G, PAŁYS E and WILCZOK T: TLC separation of hippuric, mandelic, and phenylgloxylic acids from urine after mixed exposure to toluene and styrene, 187

4,4′-Bipyridyl, premalignant and neoplastic skin lesions associated with occupational exposure to "tarry" byproducts during manufacture of, 76

Bladder cancer, mortality, British rubber industry, 209

BOUNDY M G *see* WEGMAN D H *et al*

BOURNE M S *see* EDMONDS O P and BOURNE M S

BOWRA G T, DUFFIELD D P, OSBORN A J, and PURCHASE I F H: Premalignant and neoplastic skin lesions associated with occupational exposure to "tarry" byproducts during manufacture of 4,4′-bipyridyl, 76

BRADLEY A C *see* MCDERMOTT M *et al*

Breath analysis, value of simultaneous determination of Pco_2 in monitoring exposure to 1,1,1-trichloroethane by, 161

BRILLE D *see* KAUFFMANN F *et al*

BRODER I *see* COREY P *et al*

BROWNING M C K *see* NEWTON R W *et al*

BURNS J *see* HURLEY J F *et al*

BURRIDGE J *see* TAYLOR P J and BURRIDGE J

BURTON I *see* KELLY W F *et al*

C

Cadmium pneumonitis, acute, 17-year old follow-up: notes and miscellanea, 411

CAMPO J M DEL *see* DEL CAMPO J M

Cancer morbidity among polishers, 196

——— mortality in the British rubber industry, 209

——— skin lesions during manufacture of 4,4′-bipyridyl ("tarry" byproducts), 76

Carbon disulphide, morbidity study of viscose rayon workers exposed to, 39

CARLSSON P, LJUNGQVIST B, and NEIKTER K: Thermocamera studies of gases and vapours, 300

CAVENDER G D *see* LEVINE S P *et al*

Census-based mortality study of fertiliser manufacturers, 323

Chain saw operators, cold response of digital arteries investigation of vibration-induced white finger, 82

——— ——— ——— and urinary excretion of hydroxyproline, 173

CHATTERJEE D S, BARWICK D D, and PETRIE A: Exploratory electromyography in the study of vibration-induced white finger in rock drillers, 89
Chemical packaging company, organophosphorus poisoning, 377
——— plant workers exposed to formaldehyde, proportional mortality patterns among, 313
CHESTER G and WOOLLEN B H: Studies of the occupational exposure of Malaysian plantation workers to paraquat, 23
CHIAPPINO G and VIGLIANI E C: Role of infective, immunological, and chronic irritative factors in the development of silicosis, 253
CHILVERS C *see* FRASER P *et al*
Chloracne, and exposure to tetrachlorodibenzodioxin, ten-year follow-up, 128
Chromium, trivalent, cutaneous absorption, tissue levels and treatment by exchange transfusion, 397
Chrysotile and crocidolite asbestos in gas mask assembly, mortality of two groups of women, 40-year follow-up, 344
——— workers in Swaziland, lung function and radiographic change, 338
Coalminers, with low "risk factors" for ischaemic heart disease at greater risk of developing progressive massive fibrosis? 265
——— simple pneumoconiosis and exposure to dust at 10 British coalmines, 120
——— *see also* Miners
COCHRANE A L, MOORE F, and MONCRIEFF C B: Are coalminers, with low "risk factors" for ischaemic heart disease at greater risk of developing progressive massive fibrosis? 265
COLAVITA N *see* FALAPPA P *et al*
Cold-induced blanching of fingers, digital blood pressure after local cooling as diagnostic tool, 388
——— response of digital arteries in chain saw operators, 82
COLMEIRO A *see* DEL CAMPO J M *et al*
COPLAND L *see* HURLEY F J *et al*
COREY P, HUTCHEON M, BRODER I, and MINTZ S: Grain elevator workers show work-related pulmonary function changes and dose-effect relationships with dust exposure, 330
Corrections, 186, 309
Crocidolite asbestos and chrysotile, in gas mask assembly, mortality of two groups of women, 40-year follow-up, 344
——— fibres, analysis in human lung tissue, 191
——— and gas-mask assembly, lung tissue content of amphibole fibres, 30-40 year follow-up, 62

D

DASGUPTA A K, SAUNDERS M, and DICK D J: Epilepsy in the British Steel Corporation: an evaluation of sickness, accident, and work records, 145
DAY J P *see* KELLY W F *et al*
DEACON R *see* MCMILLAN G H G *et al*
DEL CAMPO J M, HITADO J, GEA G, COLMEIRO A, LANZA A M, MUÑOZ J A, and MOSQUERA J A: Anaerobes: a new aetiology in cavitary pneumoconiosis, 392
DEMENT J M *see* ROBINSON C F *et al*
DEN OEVER R VAN, *see* VAN DEN OEVER R
DICK D J *see* DASGUPTA A K *et al*
Digital arteries, cold response, chain saw operatives, 82
——— ——— in workers exposed to vinyl chloride, angiographic study, 169
——— blood pressure after local cooling as diagnostic tool in traumatic vasospastic disease, 388
DODGSON J *see* HURLEY J F *et al*
DROUET D *see* KAUFFMANN F *et al*
Drugs and solvents, interaction between as cause of fatty change in liver: notes and miscellanea, 198
DUFFIELD D P *see* BOWRA G T *et al*
Dupuytren's contracture in manual workers, 98
Dust exposure, grain elevator workers, work-related pulmonary function changes and dose-effect relationships, 330
Dyestuffs workers, substituted anthraquinone, retrospective mortality, 355

E

EDLING C: Interaction between drugs and solvents as a cause of fatty change in the liver?: notes and miscellanea, 198
EDMONDS O P and BOURNE M S: Sodium azide poisoning in five laboratory technicians, 308
EKENVALL L and LINDBLAD L E: Digital blood pressure after local cooling as a diagnostic tool in traumatic vasospastic disease, 388
El Paso smelter, lung cancer mortality among residents living near, 269
Electromyography, exploratory, in study of vibration-induced white finger in rock drillers, 89
ELMES P C *see* MCDERMOTT M *et al*
ELNICHNYKH L N *see* MOROSOVA K I *et al*
ELWOOD J H *see* ELWOOD P C *et al*
ELWOOD P C, THOMAS H F, SWEETNAM P M, and ELWOOD J H: Mortality of flax workers, 18
——— *see also* THOMAS H F *et al*
Epilepsy in British Steel Corporation, evaluation of sickness, accident and work records, 145
Erythrocytes, increased osmotic resistance, mechanism, in workers exposed to lead, 153
——— Na+/K+-ATPase activity in lead refining workers, 290
——— relationships between distribution of lead in, in vivo, and in vitro and inhibition of ALA-D, 382
——— water metabolism and osmotic fragility, effect of lead, 295
Ethnic differences in certified sickness absence, 277

F

FALAPPA P, MAGNAVITA N, BERGAMASCHI A and COLAVITA N: Angiographic study of digital arteries in workers exposed to vinyl chloride, 169
Farmers and fruit-growers and pesticide lung, 370
Fatty change in liver, interaction between drugs and solvents as a cause of: notes and miscellanea, 198
FAWER R F, GARDNER A W and OAKES D: Absences attributed to respiratory diseases in welders, 149

Fertiliser manufacturers, census-based mortality study, 323
FEV_1 changes in Paris area workers and occupational exposure, 221
Fibres, analysis, human lung tissue, 191
Fishermen, incidence of treated alcoholism in north-east Scotland, Orkney, and Shetland, 11
Flax workers, mortality, 18
Formaldehyde, proportional mortality patterns among chemical plant workers exposed to, 313
FOX A J *see* WIGNALL B K and FOX A J
FRASER P, CHILVERS C, and GOLDBLATT P: Census-based mortality study of fertiliser manufacturers, 323
FRONEBERG B, JOHNSON P L, and LANDRIGAN P J: Respiratory illness caused by overheating of polyvinyl chloride, 239
Fruit-growers and farmers and pesticide lung, 370
FUKUMOTO K *see* KARAI I *et al*

G

GARDINER J S, WALKER S A and MACLEAN A J: A retrospective mortality study of substituted anthraquinone dyestuffs workers, 355
GARDNER A W *see* FAWER R F *et al*
GARDNER M J *see* ACHESON E D *et al*
Gas-mask assemblers, concentrations and characteristics of amphibole fibres in lungs of workers exposed to cricodolite, 30-40-year follow-up, 62
——— ——— mortality, 30-year follow-up, 34
——— ——— mortality of two groups of women, use of chrysotile and crocidolite asbestos, 40-year follow-up, 344
Gases and vapours, thermocamera studies, 300
GEA G *see* DEL CAMPO J M *et al*
GENKIN A M *see* MOROSOVA K I *et al*
Glucocorticosteroids, synthetic, adrenocortical suppression in workers manufacturing, 179
GLUECK C J *see* SMITH A B *et al*
Glutamate, defensive action of, against cytotoxicity and fibrogenicity of quartz dust, 244
GOLDBLATT P *see* FRASER P *et al*
Grain elevator workers show work-related pulmonary function changes and dose-effect relationships with dust exposure, 330
GRIME L P *see* ACHESON E D *et al*
GUBÉRAN E *see* GUILLEMIN M and GUBÉRAN E
GUILLEMIN M and GUBÉRAN E: Value of the simultaneous determination of Pco_2 in monitoring exposure to 1,1,1-trichloroethane by breath analysis, 161
GYLSETH B, BAUNAN R H, and OVERAAE L: Analysis of fibres in human lung tissue, 191

H

Hanford radiation study; notes and miscellanea, 200
HARRIS M *see* KELLY W F *et al*
Hepatic fibrosis, vinyl chloride induced, progression to angiosarcoma of the liver, 306
HERVIN R *see* SMITH A B *et al*
Hippuric, mandelic, and phenylglyoxylic acids, TLC separation from urine after mixed exposure to toluene and styrene, 187
HITADO J *see* DEL CAMPO J M *et al*
HOLMES A *see* MORGAN A and HOLMES A
HORIGUCHI S *see* KARAI I *et al*
HUNTER D *see* RIX K J B *et al*
HURLEY J F, BURNS J, COPLAND L, DODGSON J and JACOBSEN M: Coalworkers' simple pneumoconiosis and exposure to dust at 10 British coalmines, 120
HUTCHEON M *see* COREY P *et al*
Hydroxyproline, urinary excretion in workers exposed to vibration, 173

I

Immersion in trivalent chromium, tissue levels and treatment by exchange transfusion, 397
Information section, 101, 205, 310, 414
Ischaemic heart disease, low "risk factors" in coalminers, and development of progressive massive fibrosis, 265
IWATA H *see* KASAMATSU T *et al*

J

JACOBSEN M *see* HURLEY J F *et al*
JÄRVHOLM B, THIRINGER G and AXELSON O: Cancer morbidity among polishers, 196
JOHNSON P L *see* FRONEBERG B *et al*
JONES D B and SMITH P M: Progression of vinyl chloride induced hepatic fibrosis to angiosarcoma of the liver, 306
JONES M *see* SMITH A B *et al*
JONES R D: Organophosphorus poisoning at a chemical packaging company, 377

K

KAGEYAMA K *see* KARAI I *et al*
KARAI I, FUKUMOTO K, and HORIGUCHI S: An increase in Na^+/K^+ -ATPase activity of erythrocyte membranes in workers employed in a lead refining factory, 290
——— ——— ——— Mechanism of increased osmotic resistance of red cells in workers exposed to lead, 153
——— ——— KAGEYAMA K, and HORIGUCHI S: Effect of lead in vitro on water metabolism and osmotic fragility of human erythrocytes, 295
KASAMATSU T, MIYASHITA K, SHIOMI S, and IWATA H: Urinary excretion of hydroxyproline in workers occupationally exposed to vibration, 173
KATSNELSON B A *see* MOROSOVA K I *et al*
KAUFFMANN F, DROUET D, LELLOUCH J, and BRILLE D: Occupational exposure and 12-year spirometric changes among Paris area workers, 221
KELLY W F, ACKRILL P, DAY J P, O'HARA M, TYE C T, BURTON I, ORTON C, and HARRIS M: Cutaneous absorption of trivalent chromium: tissue levels and treatment by exchange transfusion, 397
KELMAN G R: Theoretical basis of alveolar sampling, 259
KILPIKARI I and SAVOLAINEN H: Increased urinary excretion of thioether in new rubber workers, 401
KUNUGI Y *see* SAKAI T *et al*

L

LAHAYE D *see* VAN DEN OEVER R *et al*
LANDRIGAN P J *see* FRONEBERG B *et al*
LANGOLF G D *see* LEVINE S P *et al*
LANZA A M *see* DEL CAMPO J M *et al*
Lead, chelatable, assessment of body burden, model, and its application to lead workers, 157
——— distribution in erythrocytes in vivo and in vitro and inhibition of ALA-D, 382
——— effect in vitro on water metabolism and osmotic fragility of human erythrocytes, 295
——— exposure, occupational, of storage battery workers, Korea, 283
——— mechanism of increased osmotic resistance of red cells in workers exposed to, 153
——— workers, mortality study, 1925-76, 404
LEE B K: Occupational lead exposure of storage battery workers in Korea, 283
LELLOUCH J *see* KAUFFMANN F *et al*
LEVINE S P, CAVENDER G D, LANGOLF G D, and ALBERS J W: Elemental mercury exposure: peripheral neurotoxicity, 136
LIGO R N *see* SMITH A B *et al*
LINDBLAD L E *see* EKENVALL L and LINDBLAD L E
LINGS S: Pesticide lung: a pilot investigation of fruit-growers and farmers during the spraying season, 370
Liver, angiosarcoma, progression of vinyl chloride induced hepatic fibrosis to, 306
——— fatty change, interaction between drugs and solvents as cause: notes and miscellanea, 198
LJUNGQVIST B *see* CARLSSON P *et al*
LOWRY L K *see* SMITH A B *et al*
Lung cancer in gas mask assemblers, 30-year follow-up, 34
——— ——— mortality among residents living near the El Paso smelter, 269
——— pesticide, pilot investigation of fruit-growers and farmers during the spraying season, 370
——— function, and radiographic change in chrysotile workers in Swaziland, 338
——— function changes, work-related, and dose-effect relationships with dust exposure, grain elevator workers, 330
——— tissue, analysis of fibres, 191
——— ——— asbestos bodies in, Southampton (UK) and Wellington (New Zealand), 349
LYON J L *see* ROM W N *et al*

M

McDERMOTT M, BEVAN M M, ELMES P C, ALLARDICE J T, and BRADLEY A C: Lung function and radiographic change in chrysotile workers in Swaziland, 338
MACLEAN A J *see* GARDINER J S *et al*
McMILLAN G H G and ROSSITER C E: Development of radiological and clinical evidence of parenchymal fibrosis in men with non-malignant asbestos-related pleural lesions, 54
——— ——— and DEACON R: Comparison of independent randomised reading of radiographs with direct progression scoring for assessing change in asbestos-related pulmonary and pleural lesions, 60
MAGNAVITA N *see* FALAPPA P *et al*
MALCOLM D and BARNETT H A R: A mortality study of lead workers 1925-76, 404
Mandelic, hippuric, and phenylglyoxylic acids, TLC separation from urine after mixed exposure to toluene and styrene, 187
Manual workers, Dupuytren's contracture, 98
MARSH G M: Proportional mortality patterns among chemical plant workers exposed to formaldehyde, 313
MAY G: Tetrachlorodibenzodioxin: a survey of subjects ten years after exposure, 128
MAYES R W: Lack of allergic reactions in workers exposed to Pruteen (bacterial single-cell protein), 183
MEDLARS, information section, 101, 205, 310, 414
Mercury exposure: peripheral neurotoxicity, 136
Mesothelioma in gas mask assemblers, 30-year follow-up, 34, 62; 40-year follow-up, 344
Methyl bromide fumigation, actual hazard in soil disinfection, 140
MICHAELSON S M: Health implications of exposure to radiofrequency/microwave energies, 105
Microwave/radiofrequency energies, health implications of exposure to, 105
Millers exposed to talc free of asbestos and silica, evaluation of respiratory effects, 233
Mineral wool production workers, rock and slag, mortality patterns, 45
Miners, evaluation of respiratory effects when exposed to talc free of asbestos and silica, 233
——— *see also* Coalminers
MINTZ S *see* COREY P *et al*
MIYASHITA K *see* KASAMATSU T *et al*
MOLE R H: Hanford radiation study, note on Hanford radiation study III: notes and miscellanea, 200
MØLHAVE L *see* BAELUM J *et al*
MONCRIEFF C B *see* COCHRANE A L *et al*
MOORE F *see* COCHRANE A L *et al*
Morbidity study of viscose rayon workers exposed to carbon disulphide, 39
MORGAN A and HOLMES A: Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the second world war, 62
MOROSOVA K I, ARONOVA G V, KATSNELSON B A, VELICHKOVSKI B T, GENKIN A M, ELNICHNYKH L N, and PRIVALOVA L I: On the defensive action of glutamate against the cytotoxicity and fibrogenicity of quartz dust, 244
Mortality, cancer, rubber industry, Britain, 209
——— of flax workers, 18
——— of gas mask assemblers, 30-year follow-up, 34
——— patterns, proportional, among chemical plant workers exposed to formaldehyde, 313
——— ——— of rock and slag mineral wool production workers, epidemiological and environmental study, 45
——— study of lead workers 1925-76, 404
——— ——— retrospective, of substituted anthraquinone dyestuffs workers, 355
MOSQUERA J A *see* DEL CAMPO J M *et al*
MOWAT D A E *see* NEWTON R W *et al*
MUÑOZ J A *see* DEL CAMPO J M *et al*

N

NEIKTER K *see* CARLSSON P *et al*
NESS G O *see* ROBINSON C F *et al*
Neurotoxicity, peripheral, elemental mercury exposure, 136
NEWTON R W, BROWNING M C K, NICHOLSON P C, and MOWAT D A E: Adrenocortical suppression in workers employed in manufacturing synthetic glucocorticosteroids: solutions to a problem, 179
NICHOLSON P C *see* NEWTON R W *et al*
NIELSEN S L *see* OLSEN N *et al*

O

OAKES D *see* FAWER R F *et al*
Occupational exposure and 12-year spirometric changes among Paris area workers, 221
OEVER R VAN DEN *see* VAN DEN OEVER R
O'HARA M *see* KELLY W F *et al*
OLLEY P C *see* RIX K J B *et al*
OLSEN N, NIELSEN S L, and VOSS P: Cold response of digital arteries in chain saw operators, 82
Organophosphorus poisoning at a chemical packaging company, 377
ORTON C *see* KELLY W F *et al*
OSBORN A J *see* BOWRA G T *et al*
OVERAAE L *see* GYLSETH B *et al*

P

PAŁYS E *see* BIENIEK G *et al*
Paraquat, occupational exposure of Malaysian plantation workers, 23
Parenchymal fibrosis in men with non-malignant asbestos-related pleural lesions, radiological and clinical evidence, 54
PARKES H G, VEYS C A, WATERHOUSE J A H, and PETERS A: Cancer mortality in the British rubber industry, 209
Pco_2, value of simultaneous determination in monitoring exposure to 1,1,1-trichloroethane by breath analysis, 161
Pesticide lung, pilot investigation of fruit-growers and farmers during spraying season, 370
PETERS A *see* PARKES H G *et al*
PETERS J M *see* WEGMAN D H *et al*
PETRIE A *see* CHATTERJEE D S *et al*
Phenylglyoxylic, hippuric and mandelic acids, TLC separation from urine after mixed exposure to toluene and styrene, 197
PIPPARD E C *see* ACHESON E D *et al*
Plantation workers, occupational exposure to paraquat, Malaysia, 23
Pneumoconiosis, cavitary, new aetiology, prevalence of anaerobes, 392
Pneumoconiosis, coalworkers', and exposure to dust at 10 British coalmines, 120
Pneumonitis, cadmium, acute, 17-year follow-up: note and miscellanea, 411
POCOCK S J *see* BAKER C C and POCOCK S J
Polishers, cancer morbidity among, 196
Polychlorinated biphenyls, occupational exposure, metabolic and health consequences, 361
Polyvinyl chloride, overheating, respiratory illness caused by, 239
Post Office, trends in death, disablement and sickness absence since 1891, 1
Printing workers, acute and subacute symptoms, 70, correction, 309
PRIVALOVA L I *see* MOROSOVA K I *et al*
Progressive massive fibrosis, development, and low "risk factors" for ischaemic heart disease, 265
Protein, bacterial single-cell (Pruteen), lack of allergic reaction in workers exposed to, 183
Pulmonary *see* Lung
PURCHASE I F H *see* BOWRA G T *et al*

Q

Quartz dust, cytotoxicity and fibrogenicity, defensive action of glutamate, 244

R

Radiation study, Hanford: notes and miscellanea, 200
Radiofrequency/microwave energies, health implications of exposure to, 105
Radiographs, comparison of independent randomised readings in asbestos-related pulmomary and pleural readings, 60
Respiratory diseases in welders, certified sickness rates, 149
——— effects, evaluation in miners and millers exposed to talc free of asbestos and silica, 233
——— illness caused by overheating of polyvinyl chloride, 239
RIX K J B, HUNTER D, and OLLEY P C: Incidence of treated alcoholism in north-east Scotland, Orkney, and Shetland fishermen, 1966-70, 11
ROBINSON C F, DEMENT J M, NESS G O, and WAXWEILER R J: Mortality patterns of rock and slag mineral wool production workers: an epidemiological and environmental study, 45
Rock drillers, exploratory electromyography in study of vibration-induced white finger in, 89
——— and slag mineral wool production workers, mortality patterns, 45
ROM W N, VARLEY G, LYON J L, and SHOPKOW S: Lung cancer mortality among residents living near the El Paso smelter, 269
ROOSELS D *see* VAN DEN OEVER R *et al*
ROSSITER C E *see* McMILLAN G H G and ROSSITER C E McMILLAN G H G *et al*
Rubber industry, cancer mortality, Britain, 209
——— workers, new, increased urinary excretion of thioether in, 401

S

SAKAI T, YANAGIHARA S, KUNUGI Y, and USHIO K: Relationships between distribution of lead in erythrocytes in vivo and in vitro and inhibition of ALA-D, 382
SAKURAI H: A morbidity study of viscose rayon workers exposed to carbon disulphide, 39
SAUNDERS M *see* DASGUPTA A K *et al*
SAVOLAINEN H *see* KILPIKARI I and SAVOLAINEN H

SCHLOEMER J *see* SMITH A B *et al*
Scipione Caccuri Prize, 309
SHIOMI S *see* KASAMATSU T *et al*
SHOPKOW S *see* ROM W N *et al*
Sickness absence, certified, ethnic differences, 277
Silicosis, role of infective, immunological, and chronic irritative factors in development, 253
Skin lesions, premalignant and neoplastic, associated with occupational exposure to "tarry" byproducts during manufacture of 4,4'-bipyridyl, 76
Slag and rock mineral wool production workers, mortality patterns, 45
SMALLWOOD A W *see* SMITH A B *et al*
SMITH A B, SCHLOEMER J, LOWRY L K, SMALLWOOD A W, LIGO R N, TANAKA S, STRINGER W, JONES M, HERVIN R, and GLUECK C J: Metabolic and health consequences of occupational exposure to polychlorinated biphenyls, 361
SMITH P M *see* JONES D B and SMITH P M
SMITH T J *see* WEGMAN D H *et al*
Sodium azide poisoning in five laboratory technicians, 308
Soil disinfection, actual hazard of methyl bromide fumigation in, 140
Spirometric changes in Paris area workers, and occupational exposure, 221
Steel, British Steel Corporation, epilepsy, evaluation of sickness, accident, and work records, 145
STEELE R H and THOMSON K J: Asbestos bodies in the lung: Southampton (UK) and Wellington (New Zealand), 349
Storage battery factory, occupational lead exposure, Korea, 283
STRINGER W *see* SMITH A B *et al*
Styrene and toluene, mixed exposure to, TLC separation of hippuric, mandelic and phenylglyoxylic acids from urine after, 187
SWEETNAM P M *see* ELWOOD P C *et al*
THOMAS H F *et al*

T

Talc free of asbestos and silica, evaluation of respiratory effects in miners and millers exposed to, 233
TANAKA S *see* SMITH A B *et al*
Tarry byproducts during manufacture of 4,4'-bipyridyl, associated with premalignant and neoplastic skin lesions, 76
TAYLOR P J and BURRIDGE J: Trends in death, disablement, and sickness absence in the British Post Office since 1891, 1
Tetrachlorodibenzodioxin, ten years after exposure, 128
Thermocamera studies of gases and vapours, 300
Thin-layer chromatography separation of hippuric, mandelic, and phenylglyoxylic acids from urine after mixed exposure to toluene and styrene, 187
Thioether, increased urinary excretion in new rubber workers, 401
THIRINGER G *see* JÄRVHOLM B *et al*
THOMAS H F, BENJAMIN I T, ELWOOD P C, and SWEETNAM P M: Further follow-up study of workers from an asbestos cement factory, 273
——— *see also* ELWOOD P C *et al*
THOMSON K J *see* STEELE R H and THOMSON K J
Toluene and styrene, mixed exposure to, TLC separation of hippuric, mandelic, and phenylglyoxylic acids from urine after, 187
TOWNSHEND R H: Acute cadmium pneumonitis: a 17-year follow-up: notes and miscellanea, 411
Traumatic vasospastic disease, *see* Vibration-induced white finger
1,1,1-Trichloroethane, value of simultaneous determination of Pco_2 in monitoring exposure to, by breath analysis, 161
TYE C T *see* KELLY W F *et al*

U

USHIO K *see* ARAKI S and USHIO K
SAKAI T *et al*

V

Vancouver style 97, 168
VAN DEN OEVER R, ROOSELS D, and LAHAYE D: Actual hazard of methyl bromide fumigation in soil disinfection, 140
Vapours and gases, thermocamera studies, 300
VARLEY G *see* ROM W N *et al*
VELICHKOVSKI B T *see* MOROSOVA K I *et al*
VEYS C A *see* PARKES H G *et al*
Vibration-induced white finger, digital blood pressure after local cooling as diagnostic tool, 388
——— ——— ——— ———, investigation by cold response of digital arteries in chain saw operators, 82
——— ——— ——— ——— in rock drillers, exploratory electromyography study, 89
——— urinary excretion of hydroxyproline in workers exposed to, 173
VIGLIANI E C *see* CHIAPPINO G and VIGLIANI E C
Vinyl chloride, digital arteries of workers exposed to, angiographic study, 169
——— ——— induced hepatic fibrosis, progression to angiosarcoma of the liver, 306
Viscose rayon workers exposed to carbon disulphide, morbidity study, 39
VOSS P *see* OLSEN N *et al*

W

WALKER S A *see* GARDINER J S *et al*
WATERHOUSE J A H *see* PARKES H G *et al*
WAXWEILER R J *see* ROBINSON C F *et al*
WEGMAN D H, PETERS J M, BOUNDY M G, and SMITH T J: Evaluation of respiratory effects in miners and millers exposed to talc free of asbestos and silica, 233
Welders, absences attributed to respiratory diseases, 149
WIGNALL B K and FOX A J: Mortality of female gas mask assemblers, 34
WILCZOK T *see* BIENIEK G *et al*
WOOLLEN B H *see* CHESTER G and WOOLLEN B H

Y

YANAGIHARA S *see* SAKAI T *et al*